

14x20x16 bearing dimensions

Our company offers different 14x20x16 bearing at Wholesale Price? Here, you can get high quality and high efficient 14x20x16 bearing

Bearing HK1416 (NTN) | Size and Specification | Bearings
 Needle roller bearings HK1416. Bearing number : HK1416. Size (mm) : 14x20x16. Brand : NTN. Bore Diameter (mm) : 14. Outer Diameter (mm) : 20. Width (mm)

HK1416UU Needle Bearing 14x20x16 TLA1416UU Needle
 HK1416UU Needle Bearing 14x20x16 TLA1416UU Needle Bearings: Needle Roller Bearings: Amazon.com: Industrial & Scientific
 HK1416UU Needle Bearing 14x20x16 HK1416UU Needle Bearing 14x20x16. HK1416UU Needle Bearing 14x20x16. Larger Photo. HK1416UU Needle Bearing 14x20x16. 3 Reviews. Our Price: \$

@@@@@@@@								
	d	D	B	EAN	Noun	Seals	Brand	Weight
vkjp 01001	-	-	-	45495570 48524	-	-	IKO	0
51134-M- P	-	-	-	45495570 48524	-	-	IKO	0
506849/1 0	-	4.29 Inch 108.966	-	-	Bearing	-	-	8.17
4T 48220/ 4T 48290	-	-	-	-	-	-	-	-
4T32015X	-	-	-	06624613 74566	-	-	SEALMAS TER	2.293
4T-3876/4 T-3820	-	-	-	00139920 28860	-	-	TIMKEN	-
4T-46790/ 46720	-	-	-	01900290 35050	-	-	AURORA BEARING	0.217
4T-55200 C	-	-	-	08885690 55996	-	-	BEARING S LIMITED	2.5
4T644/63 2	-	-	-	-	-	-	FAG BEARING	27.8
4T-JL681 45 Cone	-	-	-	-	-	-	SKF	0
4T- LM29749	-	-	-	00291766 31221	-	-	NSK	1.8
4T-LM297 49/4T- LM29710	-	-	-	-	-	-	-	1.103
501349/1 4	-	0.827 Inch 21 Mill	-	-	Washer	-	CONSOLI DATED	-

							BEARING	
51134-M-P	-	-	-	45495570 48524	-	-	IKO	0
515649/10	-	-	-	07817115 05489	-	-	BOSTON GEAR	0.136
515649C/515610	-	-	-	08082504 05039	-	-	AMI BEA RINGS	0.654
516649/10	-	-	-	-	-	-	KOYO	0
518445/10	1.625 Inch 41.275	0 Inch 0 Millimete	-	-	-	-	KOYO	0.217
518445/10	-	-	-	-	-	-	FAG BEARING	41
522/529	-	-	-	-	-	-	KOYO	0
5222-WM R6	-	-	-	-	-	-	-	-
522B/529	-	-	-	06623271 41578	-	-	LINK BELT	4.309
52375/52618	-	-	-	-	-	-	SKF	0.119
52375/52637D	-	-	-	-	-	-	-	-
52387/52618	-	-	-	-	-	-	NTN	2.07
52387/52637	-	-	-	08834503 24984	-	Triple Lip Nitrile R	-	-
52393/52638	0.787 Inch 20 Mill	-	-	-	-	-	-	-
52393DE E/52638	-	-	-	-	-	-	TIMKEN	0.318
52400	-	-	-	-	-	-	NTN	90.92
52400/52618	7.087 Inch 180 Mil	12.598 Inch 320 Mi	-	-	Bearing	-	-	-
52400/52618	-	-	-	-	-	-	AURORA BEARING	-
52400/52637	-	-	-	07179051 76715	-	-	BUNTING BEARING S	0.106
525/522	-	-	-	07824755 31288	-	-	DODGE	0.408
526/522	-	-	-	-	-	-	FAG BEARING	8.7
528A/522	-	-	-	08834503 83837	-	-	QM INDU STRIES	2.27
529/522	-	-	-	-	-	-	-	2.5

529/522	-	-	-	-	-	-	TIMKEN	-
529X/522	-	-	-	06440752 53796	-	-	CONSOLI DATED BEARING	3.49
529x522	-	-	-	-	Bearing	-	-	-
5306WD	-	-	-	08082504 17919	-	-	AMI BEA RINGS	1.489
5308AS	-	-	-	-	-	-	NTN	0.844
5309W Iron cage	-	1.25 Inch 31.75 Mi	-	-	-	-	-	0
5310W	-	-	-	08834504 04860	-	-	QM INDU STRIES	0
5335/535 6	-	-	-	08082503 50582	-	-	AMI BEA RINGS	0.281
5335/535 6	-	-	-	-	-	-	-	-
5356/533 5	-	5.13 Inch 130.302	-	-	-	-	-	33.596
536 / 532 X	-	-	-	-	-	-	TIMKEN	316.19
536/532X	-	-	-	-	-	-	IKO	0
537/532A	-	-	4.25 Inch 107.95 M	-	-	-	-	-
539 / 532	-	-	-	06624612 81277	-	-	SEALMAS TER	0.454
539 532	-	-	-	08885690 23803	-	-	BEARING S LIMITED	0.1
539/532X	-	-	-	-	Bearing	-	-	19.068
5395/533 5	-	-	3.75 Inch 95.25 Mi	-	-	-	QM INDU STRIES	19.522
5395V&53 35V	-	-	-	-	-	-	-	-
5395V/53 35V	-	-	-	07824757 78010	-	-	DODGE	0.091
5411M	-	-	-	08082503 86123	-	-	AMI BEA RINGS	0.726
5411M open type	2.25 Inch 57.15 Mi	-	-	-	Bearing	-	-	-
543085/5 43114	-	-	-	08082503 82316	-	-	AMI BEA RINGS	0.527
543086/5 43114	-	3.346 Inch 85 Mill	-	-	-	-	-	-
544090/5 44116	-	-	-	00538939 74019	-	-	TIMKEN	0
544090/5	-	-	-	-	-	-	-	-

44118								
544091/544118	-	-	-	08082504 61288	-	-	AMI BEA RINGS	0.726
544116/544091	90.000 mm	160.0000 mm	52.40 mm	-	-	-	-	-
544741 B	-	-	-	08468020 79802	-	-	ISOSTATI C	-
55175/55437	-	22.835 Inch 580 Mi	-	06440751 96901	-	-	-	-
55175C/55437	-	-	-	-	-	-	SKF	-
55187/55437	-	-	-	00877962 32969	-	-	-	-
55187C/55437	-	-	-	-	-	-	FYH	0
55187C/55437	-	-	1.437 Inch 36.5 Mi	-	-	-	AMI BEA RINGS	-
55187C/55437	3.937 Inch 100 Mil	-	-	-	-	-	-	-
55200 C/55437	-	3.875 Inch 98.425	-	06624613 66592	-	-	-	-
55200/55433D	-	-	2.598 Inch 66 Mill	-	-	-	-	8.71
55200/55444D	-	-	-	-	-	-	FAG BEARING	0
55200c/55437	-	2 Inch 50.8 Millim	-	08468020 05313	-	-	-	-
55206/55437	-	-	-	07179052 23419	-	-	BUNTING BEARING S	0.005
55206/55444D	-	-	-	00877960 15302	-	-	TIMKEN	-
55206/55444D (90028).	-	-	-	-	-	-	TIMKEN	0
55206C/55437	-	8.465 Inch 215 Mil	2.874 Inch 73 Mill	-	-	-	-	-
55212/55437	-	2.5 Inch 63.5 Mill	-	-	-	-	TIMKEN	0.32
552A	-	-	-	-	-	-	FAG BEARING	2.65

HK1416-2RS SKF Drawn Cup Needle Roller Bearing 14x20x16HK1416-2RS SKF Drawn Cup Needle Roller Bearing 14x20x16 HK Series - Open Ends. Drawn Cup Needle Roller Bearings

have a deep thin-walled outer ring

FAG HK1416 Bearing | 57941/14 bearing 14x20x16 NeedlePart Number HK1416 Needle Roller Bearing (FAG) Old Code 57941/14 bearing Dimensions (mm) Inside diameter ID d 14 Outside diameter OD D 20 Thickness HK-1416 Needle Roller Bearing 14x20x16 TLA1416ZIKO TLA1416Z needle roller bearing 14x20x16 in stock HK1416 low price 14BTM2016 same day shipping FJV1416 buy now online bearings store

@@@@@@@				
INA	NACHI	KOMATSU	KOYO	ISO
552-A	6007 2RS	493/495S	6203-2RS1	6016-2RS1 C3
554/552	6007-1RSC3	495 A/493	6203-2RS1/C3	418/414
55444D	6008-ZZ	495/492	6203-2RS1/C3/QE	6016-2RS1/C3
55444D/55206	6010-ZZ/C3	495/492A	6203-2RS1NR	42346/42584
555/552 A	6013 C3	495/493	6203-2RSc3	6016-2Z
555S	6020 ZZ C3	495/493D	6203-2RS-C3	42350/42584
555S/552A	6024-2RZC3	49585 Cone	6203-2RSC3	6016-2Z/C3
5578/5535	603049/12	49585/49520	6203-2RSH	42350/42587D
558/552	608-2Z	49585/520	6014-2RS1/C3	6016Z
5583/5535	60TP124	495S	6203-2RSH	42362/42584
5583/CUP	6-10079/710M	496/493	6014-2RSC3	6016zz
5584/5535	618/ 710 MA	496/493D	6203-2RSH /C3	42375 /42584
5595/5535	618/8-2RS	497/492A	6014-2Z	6017 C3
560	61904-2RZ	497/493	6203-2RSH C3	42375/42584
560/553	6201 HVZZ	4A/6	6014-2Z/C3	6017 2RS1
561067B	6201-2RSH	4C / 6	6203-2RSH/C3	42376/42587
561067-B	6202 2RS	4P-LM11949 / LM11910	6014C3	6017 2RS1/C3
5617/620	6202-2Z	4T 15113	6203?2RSH/C3	42376/42587DC
5617/650	6202-ZZD	4T 15243	6014C4	6017 2Z
563/567	6203 HVZZ	6034-2Z	6203-2RSH/GFJ	42376-42587
563-565	6203-2Z	6034-2Z/C3	6014-RS1	6017 2Z/C3
563-D	6204 ZZ	6034M/C3	6203-2RSHC3	42381/42584
563-D/565	6204 ZZ	6036 MA/C3	6014-Z	6017 NR
563D/567A	6204-2RS	6036 M	6203-2RSI/C3	42450-06010
56418/56650	6204-2RS-C3	6036/C3	6014ZZ	6017 Z
56418/56650 D	6204-2Z	6036M	6203-2RS-J- C3-K08	42584 /42375
56418/56650CD	6205 2RS	6036M/C3	6014-ZZC3	6017 2Z
56418/56650CD/X 1S	6205 2Z	6038 M/C3	6203-2RZ	42587/42376
56418/56650D	6205-2RSC3	6038 M/C4	6015 2RS1/C3	6017/C3
56418/650	469/453X	6038 M	6203-2SRH/C3	42687/42620B
56425/56650	6205-2Z/C3	6038-2Z/C3	6015 2RSC3	6017-2RS C3
56425/56650 D	472/475	6038C3	62032Z	42687/42623-B

565	6205C3	6038M	6015 2Z	6017-2RS1 C3
565/563	47420 / 47490	6038M C4	6203-2Z	42688/42620
56650/56425	6205Z	6038M.C4	6015 2Z/C3	6017-2RS1/C3
56650CD	475-472A	6038M/C3	6203-2Z	43125/43312
566S/563	6205-Z-C3	6038M/C4	6015 ZZ/C3	6017-2Z
567/563	47680 + / 47620/47620 / + 46780 + Y247620	6040 C3	6203-2Z C3	43131/43312
567A/563	6205-ZZ-C3	6040 M (brass cage)	6015/C3	6017-2Z/C3
567A/563D/567A	47680-99401	6040 M/C3	6203-2Z POMPA WWTP	43132 / 43312
568/563	6206 2RS C3	6040/C3	6015-2RS	6017Z
572/575	47686-99402	6040-2RS1	6203-2Z/C3	436/432
572/580	6206 ZZ C3	6040C3	6015-2RS C3	6018 2RS
572D/581	477/472 D	6040M	6203-2Z/C3+6202- 2Z/C3	4375/4335
572X	6206/25	6040M/C3	6015-2RS1	6018 -2RS
575/572	478/472B	604-2Z	6203-2Z/C4	4388/4335
5760/5735	47890/47820	6044 C3	6015-2RS1 C3	6018 -2RS
5795/5735	47896/47820	6044 M	6203-2Z/VA201	44143/44348
580/572	47896/47820 P3	6044 M / C3	6015-2RS1/C3	6018 2RS C3
580/572A	48120	6044 M/C3	6203-2Z/VA228	44150
580/572B	48190	6044 M/C3	6015-2RSC3	6018 2RS1
580/572D	48190/48120	6044 MC3	6203-2ZC3	44150/44348
581/572	48190R/48120R	6044 M/C3	6015-2Z	6018 2RS1/C3
581/572D/581	482/472	6044C3	6203-2Z-C3	44162/44348
582/572	48220/48286	6044M/C3	6015-2Z/C3	6018 2Z
590/592A	48220/48290	6044-M-C3	6203-2ZNR	44348
590A	48286	6048 M C3	6015-ZZC3	6018 2Z
59162/59412	48286/20	6048 MA/C3	6203-2ZR	44610/44649
59201/59412	48286/48220	6048 MC3	6016 2RS	6018 2Z/C3
592A	48290/48220	6048 MC3	6203-5/8 ZZ	44649/10
592XE	48290/48220D	6048C3	6016 2RS C3	6018 Z
593/592	48290DW 90155 A ssy	6048M	6203-C-2HRS	449/432-B
593/592 A	48290DW-48220-4 8220D	6048M/C3	6016 2RS1	6018 ZZ
593/592A	48385/48320	6048MC3	6203-C3	45280/45220
593/592D	48393/48320	605 ZZ	6016 2RS1/C3	6018 ZZC3
593/592d xis593	48393/48320D	6052 M	6203C3ZZ	45284/45220
593/592d xis593	484/472B	6052M	6016 2Z	6018 2RS1
593A	484/472D/X1S484	6052M	6203-C-C3	45285A/45220
594 ASEMBLY 90045 SIGLE CONES 594	48548/10	6056 M.C3	6016 2Z/C3	6018 2Z

DOWBLE CUP 592 D CONE SPACER X2S594 BEP.0.012				
594/592	48548/11	606 2Z	3984/3920	45287& 45220
594/592A	48548/48510	606 Zz	6016 deep groove	6018-2RS1
594A /592A	48620D	6060 M C3	3992/3920	45287/45220
594A/592A	48680D 90038 48 620	606-2RS1	6016 Z	6018-2RS1/C3
594-A/592-A	48680D-90057	606-2RSH	3994/3920	45290 /45220
598 / 592	48680DGW-48620 -48620D	606-2Z	6016 ZZ	6018-2Z
598/592A	48684/48620	6064M	399A/393AS	45290&45220
598/592XE	48685/48620	607 ZZ	6016 ZZ	6018-2Z/C3
598A/592A	48685/48620-B	607 2RS	39KTD	45290/45220
598-A/592-A	48685/48620D	607 2RSH C3	6016	6018M/C4
598A/592XE	48685/48620-D	607 2Z	3MMV9103WI DUM	4535
6001 2RS	48685-48620	607 -2Z C3	6016 NR	6018RS
6003-2Z	49162 - 49368	607 2Z/C3*	41106/41286	453HP/456ZP
6006 2RS	49162/49368	607 2Z	6016-2RS C3	6018-Z
-	49175/49368A	607/8-Z	41286/41100	453X/456ZS
-	-	62032RS1	6016-2RS1	6018-ZZC3
-	-	-	414249/10	453-XVI
-	-	-	-	6019 2RS1

HF1416 One Way Needle Bearing/Clutch 14x20x16 Needle Needle Roller Bearing One Way Shell Type HF1416 HF1416 Needle Roller Bearing Shell Type, this is a popular size that could be used in many applications Drawn cup needle roller bearing HK1416-2RS-SKFDrawn cup needle roller bearing HK1416-2RS-SKF IN STOCK, dim : Ø int. 14 x Ø ext. Drawn cup needle roller bearing HK1416-2RS-SKF - 14x20x16 mm

Drawn cup needle roller bearing HK1416-2RS-L271-INADrawn cup needle roller bearing HK1416-2RS-L271-INA IN STOCK, dim : Ø int. Drawn cup needle roller bearing HK1416-2RS-L271-INA - 14x20x16 mm HF1416 One Way Needle Bearing/Clutch 14x20x16HF1416 One Way Needle Bearing/Clutch 14x20x16