



GENERAL BEARING IMPORT COMPANY



60 mm x 2.559 Inch | 65 Millimeter x 3 Inch |
76.2 Millimeter SKF SYJ 65 KF CHINA Bearing
60,325*70*151

Bearing No. SYJ 65 KF

SYJ 65 KF Bearing 2D drawings and 3D CAD models

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	5.51
EAN	7316571200743
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Adapter Sleeve
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	YSA 213-2FK
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Y Bearing
Long Description	2 Bolt Pillow Block; 60MM Bore; 76.2MM Base to Center Height; Adapter Sleeve Mount; Ball Bearing; Relubricatable; Cast Iron; M Seal; Non-expansion



GENERAL BEARING IMPORT COMPANY

Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	SYJ 65 KF
Weight / LBS	14.4
D	2.559 Inch 65 Millimeter
Bolt Spacing Maximum	0 Inch 0 Millimeter
Nominal Bolt Center to Center	8 Inch 203 Millimeter
Actual Bolt Center to Center	8 Inch 203 Millimeter
B	3 Inch 76.2 Millimeter
Bolt Spacing Minimum	0 Inch 0 Millimeter
d	2.362 Inch 60 Millimeter
Housing material	Cast iron
d	60 mm
A	70 mm
A ₁	49 mm
B ₁	65 mm
H	150.5 mm
H ₁	76.2 mm
H ₂	27 mm
J	203 mm
J max.	213 mm
J min.	193 mm
L	265 mm
N	35 mm
N ₁	25 mm
s ₁	35.4 mm
R _G	1/4-28 UNF



GENERAL BEARING IMPORT COMPANY

R_1	5.5 mm
R	45 °
D_N	6.5 mm
SW_N	7 mm
G_N	1/4-28 SAE-LT
J_6	241 mm
J_7	23 mm
N_4	4 mm
Basic dynamic load rating C	57.2 kN
Basic static load rating C_0	40 kN
Fatigue load limit P_u	1.7 kN
Limiting speed	3000 r/min
Mass bearing unit	6.25 kg
Appropriate spanner	HN 12-13
Recommended lock nut tightening angle	100 °
Recommended diameter for attachment bolts, mm G	20 mm
Recommended diameter for attachment bolts, inch G	0.75 in
Bearing	YSA 213-2FK